

Appendix B

Preliminary Research Bibliography

- Alberta Agriculture, Food, and Rural Development. 2002. Chronic Wasting Disease (CWD) of elk and deer. Available at: <http://0-search.epnet.com.bianca.penlib.du.edu:80/direct.asp?an=11121481&db=agr>.
- Animal and Plant Health Inspection Service (APHIS). 2001a. Chronic Wasting Disease Funding. October 2001. Available at: http://www.aphis.usda.gov/1pa/pubs/fsheet_faq_notice/fs_ahcwdfund.html.
- APHIS. 2001b. USDA Implements Chronic Wasting Disease Program. September 2001. Available at: http://www.aphis.usda.gov/1pa/pubs/fsheet_faq_notice/fs_ahcwdfund.html.
- APHIS. 2002a. Plan for Assisting States, Federal Agencies, and Tribes in Managing Chronic Wasting Disease in Wild and Captive Cervids. June 26, 2002. Plan prepared by interagency task force comprised of federal agencies from the U.S. Department of Agriculture and U.S. Department of Interior, international agencies, and state agencies.
- APHIS. 2002b. USDA Actions on Chronic Wasting Disease. May 2002. Available at: http://www.aphis.usda.gov/1pa/pubs/fsheet_faq_notice/fs_ahcwdfund.html.
- APHIS. 2002c. USDA Requests Public Comment on Indemnity for Chronic Wasting Disease in Cervids. February 7, 2002. Available at: <http://www.aphis.usda.gov/1pa/news/2002/02/chrwasdi.html>.
- APHIS. 2002d. USDA Issues Permit for Chronic Wasting Disease Antigen Test Kit. November 14, 2002. Available at: http://www.aphis.usda.gov/1pa/news/2002/11/cwdtest_vs.html.
- APHIS. 2002e. USDA, Interior Deliver Chronic Wasting Disease Management Plan to Congress. June 27, 2002. Available at: <http://www.aphis.usda.gov/1pa/news/2002/06/cwdplanv.html>.
- APHIS. 2002f. Chronic Wasting Disease. Veterinary Services. Available at: http://www.aphis.usda.gov/1pa/pubs/fsheet_faq_notice/fs_ahc wd.html.
- APHIS. 2002g. USDA, Interior Deliver Chronic Wasting Disease Management Plan to Congress. Press Release by, A. Harrison, and F. Quimbly. Available at: <http://www.aphis.usda.gov/1pa/news/2002/06/cwdplanv.html>.
- Ball, K. 2002. Chronic Wasting Disease in a Rocky Mountain Elk. CAB International.
- Bartelt, Gerald A., Pardee, J, Thiede, Kurt. 2003. Environmental impact statement on rules to eradicate chronic wasting disease in Wisconsin's free ranging white-tailed deer heard. Madison, WI: Wisconsin Department of Natural Resources, Bureau of Integrated Science Services. 175 p.
- Chronic Wasting Disease Alliance. n.d. Available at: <http://www.cwd-info.org/index.php/fuseaction/about.main>.
- Denome, R.M. 1998. Genetic Variation in North American Populations of Elk (*Cervus elaphus*). (Supplement to Report No. A-137). Prepared for the North Dakota State Game and Fish Department. Wildlife Division. Project W-67-R-38. Phase C, Big Game Investigations.

- DiNicola, A. J. and R. K. Swihart. 1997. Capture-induced Strees in White-tailed Deer. *Wildlife Society Bulletin*. 25:500-503.
- Eve, J. H. 1981. Management implications of disease. In: Davidson, W. R. (ed.), *Diseases and Parasites of White-tailed Deer*. Pp. 413-423. Talahassee: Tall Timbers Research Station, Miscellaneous Pub. No. 7.
- Irby, L.R., J.E. Norland, J.A. Westfall Jr., and M.A. Sullivan. 2002. Evaluation of a forage allocation model for Theodore Roosevelt National Park. *Journal of Environmental Management*. Vol 64: p. 153-169.
- Jensen, B. A Brief Historical Summary of Elk in the South Unit of Theodore Roosevelt National Park. Updated 28 July 2003.
- Jones, J. M. and J. H. Witham. 1990. Post-translocation survival and movements of Metropolitan white-tailed deer. *Wildlife Society Bulletin*. 18:434-441.
- Norland, J.E., L.R. Irby, and C.B. Marlow. 1985. Determination of Optimum Bison Stocking Rate in Theodore Roosevelt National Park. *Journal of Environmental Management*. Vol. 21: pages 225-229.
- North Dakota Game and Fish Department (NDGF). 2004. Chronic Wasting Disease Update, as of April 1, 2004.
- National Park Service. 2004. Summary of Bison Management in Theodore Roosevelt National Park. Prepared by Mike Oehler, Wildlife Biologist. Medora, North Dakota.
- National Park Service. 2003. Background and Population Management of Feral Horses in the South Unit of Theodore Roosevelt National Park. 7-8 October 2003 Roundup.
- O'Bryan, M. K. and D. R. McCullough. 1985. Survival of black-tailed deer following relocation in California. *Journal of Wildlife Management*. 49:115-119.
- Porter, W. F. 1992. Burgeoning ungulate populations on National Parks: is intervention necessary? *Wildlife 2001. Populations* edited by D. R. McCullough and R. H. Barret. Pages 304-312.
- Sargeant, G. and Mike Oehler. 2004. Highlights from Cooperative Elk Research at Theodore Roosevelt National Park. Internal Document. May 24, 2004.
- Singer, F.J. and L.C. Zeigenfuss, compilers. 2002. Ecological evaluation of the abundance and effects of elk herbivory in Rocky Mountain National Park, Colorado. 1994-1999. Final Report to the National Park Service, Rocky Mountain Cooperative Agreement No. 1445-0009-94-1074 (USGS) Subagreement 2 between the National Park Service, Biological Resources Discipline, of the U.S. Geological Survey, and National Resources Ecology Laboratory, Colorado State University. Open File Report 02-208. 268 pp.
- Sullivan, M.G., L.R. Irby, C.B. Marlow, and H.D. Picton. 1988. Distribution, movements, habitat usage, food habits, and associated behavior of reintroduced elk in Theodore Roosevelt National Park. Montana State University. Bozeman, Montana.

- Westfall, J.A. Jr., L.R. Irby, and J.E. Norland. 1993. A forage allocation model for four ungulate species in Theodore Roosevelt National Park. Montana State University. Bozeman, Montana.
- Westfall, J.A. Jr., L.R. Irby, C.B. Marlow, and H.D. Picton. 1989. Elk movements, habitat use, and population dynamics in Theodore Roosevelt National Park. Montana State University. Bozeman, Montana.